



LETTER OF INTENT

GILLES LEFRANCOIS

The 21st MAY 2021

CEO

KAGI INTERNATIONAL CO. LTD

Head Office: 29 Nguyen Van Mai, Ward 9, District 3, Ho Chi Minh City, VIETNAM

Phone number: +84 778446247

Email: glf@kagi-intl.com

Dear Sir/Madam,

We, **KAGI International Co. Ltd**, Add.: 29 Nguyen Van Mai, Ward 9, District 3, Ho Chi Minh City, hereby express our intention to award a PURCHASE ORDER, in the form and terms of this Letter of Intent, for the supply of GOODS Listed in Section-I of this Letter of Intent (LOI) in accordance with specification and in the quantity specified and the terms and conditions as stated below.

This LOI shall be effective from 31st May 2021 (hereinafter referred to as “**EFFECTIVE DATE**”) and this LOI is based on the following conditions:

Section 1: Scope of Supply & Prices

No.	Production name	Order Quantity (Tons)	HS CUSTOM CODES	Packaging	Certification
1	Stainless Steel brushed Sheets 1500mmx3000mm 0,8 MM 1 MM 1.2 MM 1.5mm One face brushed + protective paper type NOVACELL 4318 One face Plain	25 tons 5 tons 5 tons 30 tons	72193410 72193310 72193310 72193310	As per our specifications	304 L Certificate 3.1 according to EN 10204 Goods according to EN 10088-2 and ISO 9445

2	Stainless Steel plain Sheets (two faces plain) 1500mmx3000mm 0,8 MM 1 MM 1.2 MM 1.5mm One face Plain	30 Tons 2 tons 2 tons 2 tons	72193410 72193310 72193310 72193310	As per our specifications	304 L Certificate 3.1 according to EN 10204 Goods according to EN 10088-2 and ISO 9445
---	--	---------------------------------------	--	------------------------------	--

Section 2: Term and Conditions

Delivery : The shipments are made based on FOB in according to production location

Please send us the above mentioned documents and/or other related information via

glf@kagi-intl.com

Best regards,

GILLES LEFRANCOIS



CEO

KAGI International Co. Ltd

Please see red marks ...pallets support must also be in red marks




WRONG



GOOD

TOTAL PALLET HEIGHT 220 MM MAX – DISTANCE BETWEEN 2 SUPPORTS MINI 950 MM



Maximum height 220mm

Distance between two supporting wood 950 mm

FILM ONE FACE FOR BRUSHED STEEL SHEETS

