

















UNITED STEEL INDUSTRY CO.,LTD (USI GROUP)

BUILDING NO.8,GOLDEN INTERNATIONAL MANSION, TIANXINDISTRICT,CHANGSHACITY, HUNAN PROVINCE, CHINA
 MP: 86-13347260257;Mail: bonnie03@united-steel.com URL: www.united-steel.com

Main product catalogue

(bonnie.xue-Project manager)

	Product name	Sort	SIZE	Standard	Picture
PIPE	Welded Steel Pipe	ERW Steel Pipe	OD: 21.3-660mm WT: 1.0-20mm LENGTH: 3-12m	API 5L PSL1/PSL2 Gr.A,Gr.B,X42,X46,X52,X56,X60,X65,X70 ASTM A53: GR.A, GR.B, ASTM A500 JIS G3466 ASTM A252 ASTM A178 AN/NZS 1163 AN/NZS 1074 EN10219-1 EN10217-1,S275, S275JR, S355JRH, S355J2H	
		LSAW Steel Pipe	OD: 219mm-1625mm WT: 6.35 mm – 60 mm LENGTH: 2 m – 18 m	API 5L PSL1/PSL2 Gr.A,Gr.B,X42,X46,X52,X56,X60,X65,X70 ASTM A53 ASTM 572 ASTM A252 AN/NZS 1163 AN/NZS 1074 EN10219-1 EN10217-1	
		SSAW Steel Pipe	OD: 219mm-4064mm WT: 3.2-40mm LENGTH: 5.8/6/11.8/12m	API 5L PSL1/PSL2 Gr.A,Gr.B,X42,X46,X52,X56,X60,X65,X70 ASTM A53 ASTM 139 ASTM A252 Grade 1/2/3 AN/NZS 1163 EN10219-1 EN10217-1 EN10208	
	Seamless Carbon Steel Pipe	Carbon Steel Pipe	OD: 10.3-1219.2mm WT: 1.65-60mm LENGTH: 5.8/6/11.8/12m	API 5L;ASTM A106;JIS G3454,G3455,G3456; DIN1629/EN10216-1;EN 10208	
		API 5L Line Pipe	OD: 73-630mm WT: 6-35mm LENGTH: 5.8/6/11.8/12m	API 5L PSL1/PSL2 Gr.A,Gr.B,X42,X46,X52,X56,X60,X65,X70 API 5L PSL1/PSL2 L210,L245,L290,L320,L360,L390,L415,L450,L480 (3PE coatings and other coatings can be added for corrosion protection)	
		Structural Steel Pipe	OD: 114mm-914mm WT: 4mm-60mm LENGTH: 5.8/6/11.8/12m	ASTM A53 ASTM A519 ASTM A500 JIS G3444 DIN1629 EN 10210/10219	
		Precision Steel Pipe	OD: 6mm-114mm WT: 0.5mm - 60mm LENGTH: 5.8/6/11.8/12m	EN 10305 ASTM A106-2006 BS 1139 DIN 2391 DIN 2445 Heat Treatment : NBK(+N) GBK(+A) BK(+C) BKW(+LC) BKS(+SR)	
		Boiler Pipe	OD: 25-127mm WT: 2-12mm LENGTH: 5.8/6/11.8/12m	ASTM A192 ASTM A179 ASTM A209 ASTM A210 JIS G3461 JIS G3462 JIS3463 DIN17175 EN 10216-2 A213 T5, T9, T11, T22, T91	
	Alloy Steel Pipe	Seamless Alloy	OD: 1/8" ~ 26" WT: SCH 30, 30, 40, 60, 80, 120, 140, 160, XS, XXS, STD LENGTH: Single Random, Double Random, Cut Length max to 23m	GB/T 3091 Q195/Q215/Q235/Q345,BS 1387, EN 39, EN 1139 S235JR/S275JR,ASTM A53 GR. A/B/C, JIS G3444 STK 400/STK 500	
		Welded Alloy	OD: 1/8" ~ 26" WT: SCH 30, 30, 40, 60, 80, 120, 140, 160, XS, XXS, STD LENGTH: Single Random, Double Random, Cut Length max to 23m	GB/T 3091 Q195/Q215/Q235/Q345,BS 1387, EN 39, EN 1139 S235JR/S275JR,ASTM A53 GR. A/B/C, JIS G3444 STK 400/STK 500	
	Stainless Steel pipe	Stainless Steel Seamless Pipe	OD: 3-2500 mm WT: 1.0-150 mm LENGTH: 5.8/6/11.8/12m	ASTM A213, ASTM A312, ASTM A269, ASTM A778, ASTM A789 DIN 17456,DIN 17457,DIN EN 10216, BS 3605, JIS 3459, JIS3463, GOS T9941 material:304/L,316/L,201,202,301,347/H,316Ti,309s,310s	
Stainless Steel Welded Pipe		OD: 2" - 48" WT: 5S, 10S, STD, XH, 40, 80, 100, 120, 160, XXH LENGTH: Single Random, Double Random, Cut Length max to 23m	ASTM A240, ASTM A269, ASTM A312, ASTM A358, ASTM A778 material:304/L,316/L,201,202,301,347/H,316Ti,309s,310s		
Plate	Stainless Steel Plate	3/16" Thick ~ 6" Thick, Up to 120" Wide	ASTM A167, ASTM A176, ASTM A240, ASTM A693, ASTM A480 300 Series Stainless, 400 Series Stainless		
	Carbon steel plate	Thickness: 0.2-500mm, etc Width: 1000-4000mm, etc Length: 2000mm, 2438mm, 3000mm, 3500, 6000mm,12000mm	ASTM, AISI, JIS, GB, DIN, EN Material:A106A-B, Q195, Q215, Q235B, Q255A, Q275, 08F, 45#, 20#, Q295, A516 GR.70, Q345A-B, Q420, Q460E, T7, T12A, T8Mn, DR510-50, DRI750G-35, 25CrMoVA, 30CrMnSi, 50CrVA 4CrW2Si, S5400, A36, SM400A, P235GH, P295GH, St37-2, SA283Gr , S235JR, S235J0, S235J2,		

Pipe Fittings	Flange	OD: DN15- DN2000 (1/2" - 80") Type: welding neck, slip on, blind, socket welding, threaded, lap-joint Pressure: 150#, 300#, 600#,900#,1500#,2500#	Carbon steel A105, C22.8, S235, S235JR, P235GH, S5400, 37.2 Stainless Steel 304/L, 316/L, 321, 310S, 347H, 1.4301, 1.4404 ASTM A234 WP1/5/9/11/12/22/91	
	Elbow	OD: 1/2"-24" seamless, 26"-60" welded WT: SCH5S,10S,10,40S,STD,XS,80S,XXS, 40,60,80,160,XXS 30° 45° 60° 90° 180°,etc LR/long radius=1.5D,SR/Shot radius=1D, various radius: 3D,4D,5D,6D,7D	ANSI B16.9, EN10253-4, DIN 2605, GOST 17375, JIS B2313, MSS SP 75 Stainless Steel A403 WP 304/L, 316/L, 321, 310S, 347H, 317, 316Ti, 904L ASTM A234 WP1/5/9/11/12/22/91	
	Bend	NPS from 1/2" to 72", DN from 15 to 1800, WT: <120mm, SCH 40/80/XXS>	Carbon Steel --- API 5L, ASME B16.49, EN 10218 Alloy Steel --- ASTM A23Stainless Steel --- ASTM 312/403 304/304L/316/316L/613Ti/321/317L/310S	
	Tee	NPS from 1/2" to 36", DN from 15 to 900, WT: 2-80mm, SCH 40/80/XXS	Carbon Steel --- ASTM A234 WPB/WPC, ANSI B 16.9, ASTM A105/A106/A53, API 5L GR.B/A671-CC-70/A515-50/A135-A/A179-C Stainless Steel --- ASTM 403 304/304L, 316/316L, 316Ti, 321, 317L, 310S Alloy Steel --- ASTM A234 WP1/5/9/11/12/22/91	
	Cap	NPS from 1/2" to 48", DN from 12 to 1200, WT: 2-80mm SCH 40/80/XXS	Carbon Steel --- ASTM A234 WPB ANSI B 16.9, DIN 2606 N-5 ST.37.0 Stainless Steel --- ASTM 403 304/304L, 316/316L, 316Ti, 321, 317L, 310S Alloy Steel --- ASTM A234 WP 1/5/9/11/12/22/91	
	Valves	OD: 25-127mm WT: 2-12mm	Carbon Steel--- ASTM A234, ASTM A105/A106/A53/A283-D, API5L GR.B /A671-CC-70 /A515-50 /A135-A /A179-C Stainless Steel --- ASTM 403 304/304L, 316/316L, 316Ti, 321, 317L, 310S Alloy Steel --- ASTM A234 WP 1/5/9/11/12/22/91	
	Reducer	NPS from 3/4" to 48", DN from 20 to 1200, WT: 2-80mm, SCH 40/80/XXS	Carbon Steel --- ASTM A234 WPB/WPC, ASTM A105/A106/A53/A283-D, API 5L GR.B/A671-CC-70/A515-50/A135-A/A179-C Stainless Steel --- ASTM 403 304/304L, 316/316L, 316Ti, 321, 317L, 310S Alloy Steel --- ASTM 234 WP 1/5/9/11/12/22/91	

湖南利来达钢铁有限公司利润及利润分配表

Profit and Profit 2022年度12月份

会外年企02表
FRM AFI-02
单位: 美金
UNIT: USD

ITEMS	上年数	本年数	项 目	本年实际
1、 Sales of products	\$132,153,003.11	\$132,588,220.04	Less: Income tax	\$1,623,114.90
Less: Cost of sales	\$104,028,073.41	\$105,573,742.59	5、 Net profit	\$4,869,344.70
Sales tax			Add: Retained earnings at beginning of year	\$12,231,940.95
2、 Gross profit on sales	\$28,124,929.70	\$27,014,477.44	Other changed over to	
Add: profit from other operations			6、 Profit suitable for distributing	\$17,101,285.66
Less: Selling expenses	\$14,179,078.49	\$14,919,406.87	Less: Legal earned surplus reserve	
General and administrative expenses	\$4,284,472.12	\$3,881,971.88	Legal public welfare fund	
Financial expenses	\$3,467,936.99	\$1,726,608.78	Staff and workers bonus and welfare fund	
3、 Operating profit	\$6,193,442.10	\$6,486,489.91	Repayment investment with profit	
			7、 Profit available for distribution to investors	\$17,101,285.66
Add : Net investment profit			Minus: Dividend of preference share payable	
Replenish incomes			Drawing random surplus	
Non-operating income	\$16,000.00	\$5,969.70	Dividend of common share payable	
Less: Non-operating expenses			Dividend of common share transferred to capital	
4、 Total profit	\$6,209,442.10	\$6,492,459.61	8、 Undistributed profit	\$17,101,285.66

